



Report No: CPSGGTY2507054_Rev02

Dated: 11 Aug 2025

TEST REPORT

Original photo of the submitted sample





Packaging must be retained since it contain the important information.

BATTERY WARNING (for non-rechargeable battery):


1. Non-rechargeable batteries not be recharged.
2. Different Types of batteries or new and used batteries are not to mixed.
3. Only use batteries of the same or equivalent types as recommended are to be used.
4. Batteries are to be inserted with correct polarity.
5. Exhausted batteries are to be removed from the toy.
6. The supply terminals are not be short circuited.
7. Do not expose batteries to fire as they may explode or leak.
8. Use Battery 1.5V x 4 AA Replaceable Battery (Not Included)

PREMIUM PIANO FITNESS RACK

Best For Early Education

يجب الاحتفاظ بالعبوة لاحتوائها على المعلومات المهمة.

1. تحذر بشأن البطارية (البطاريات غير القابلة لإعادة الشحن): لا يُشحن البطاريات غير القابلة لإعادة الشحن.
2. لا يُخلط بين أنواع مختلفة من البطاريات، أو البطاريات الجديدة والمستعملة.
3. استخدم فقط البطاريات من نفس النوع أو الأنواع المماثلة الموصى بها.
4. يجب إدخال البطاريات بالطريقة الصحيحة.
5. يجب إزالة البطاريات الفارغة من اللعبة.
6. يجب عدم تعرض أطراف التزويد للتقصير الكهربائي.
7. لا تُعرض البطاريات للنار لأنها قد تنتفخ أو تتسرب.
8. قلابة للاستبدال، 1.5 فولت x 4 (غير متضمنة). AAA. استخدم بطارية



Battery Installation Instruction
تعليمات تركيب البطارية

Open the battery cover with cross screwdriver; 4x1.5V "AA" battery is needed (exclusive). Put close back the cover and screw it tight with the screwdriver.

افتح غطاء البطارية باستخدام مفك البراغي المتقاطع، 4 بطاريات "AA" (حصرياً)، ضع "AA" بطاريات وجود 4 بطاريات "AA" في الغطاء ثم ثبته بإحكام باستخدام مفك البراغي.

Product Item No : DHT-1134
العدد المرجعي :
Commodity : Role Play Toy
التسمية : لعبة الأدوار

MRP :
تسليمات معلومات المورد :
(Unit of all items)
إشراك جميع العناصر
Month of Manuf. :
شهر التصنيع :

تحذير ⚠️
خطر الاختناق
CHOKING HAZARD

RETAIN THE INFORMATION FOR FUTURE REFERENCE.
حفظ المعلومات لترواج في المستقبل
WARNING: TO BE USED UNDER THE DIRECT SUPERVISION
تحذير: يجب استخدامه تحت الإشراف المباشر لتجنب الاختناق!

EN71

MADE IN INDIA الهند صنع في الهند

Product Dimensions in Cm
L B H
80 61 42

Manufactured by :-
المصنوعة بواسطة :-
Deepak Houseware and Toys Ltd.
شركة ديباك للأدوات المنزلية والألعاب المحدودة

Plot No. SP2-875, RICO Industrial Area, Pathredi, Alwar, Rajasthan, India 301019. Customer Care No. : 1800-983-7172
Customer Info ID : customerscare@urbantots.in info@urbantots.in

بثري، أوير، RICO المنطقة الصناعية SP2-875، المنطقة الأريز رقم راجستان، الهند 301019، رقم خدمة العملاء: 1800-983-7172
معلومات عملاء عملاءcustomerscare@urbantots.in info@urbantots.in



Dated: 11 Aug 2025

Report No: CPSGGTY2507054_Rev02

Applicant : DEEPAK HOUSEWARE & TOYS LTD.
 Contact Person : Manoj Yadav
 Address : SP2-875, Ricco Industrial Area, Pathredi (Alwar)
 Rajasthan-301019

OVERALL STATUS	
PASS	X
FAIL	
DATA	

Sample not drawn by Cotecna Inspection India Pvt. Ltd.

Sample Description : THE SUBMITTED SAMPLE IS - Premium Piano Fitness Rack
 Buyer Name : Not Provided
 Color : MULTI
 Age Group : 2 MONTHS+
 Item No : DHT-1134
 ARTICLE NO : 10491
 CATEGORY/SUB- CATEGORY : CATEGORY-A/SUB CATEGORY-4
 Brand Name : Urban Tots
 Manufacturer Name : Deepak Houseware & Toys Ltd.
 Manufacturer Address : SP2-875, Ricco Industrial Area, Pathredi (Alwar) Rajasthan-301019
 Manufacturer Date : FEB-25
 Country of Origin : India
 Country of Destination : GCC Countries
 Sample Received Date : 06 Mar 2025
 Sample Acceptance Date : 28 Mar 2025
 Testing Period : 06 Mar 2025 to 12 Mar 2025

S.No.	Test Conducted	Test Method	Result
1	Mechanical And Physical Properties	EN 71 Part 1: 2014+A1: 2018	P
2	Flammability Test	EN 71 Part 2: 2020	P
3	Migration Of Certain Elements- Followed By Icp-MS Analysis	EN Part 71-3: 2019+A1: 2021	P
4	Safety Of Electric Toys	EN IEC 62115: 2020	P
5	Pah's	REGULATION (EC) NO.1907/2006 & AMMENDMENT (EU) NO.1272/2013-(AFPS GS 2019:01 PAK)	P
6	Phthalate	Annex XVII points 51 & 52 of the REACH Regulations (1907/2006) (CPSC-CH-C1001-09.4:2018)	P
7	Azo Dyes	As per REACH Annex XVII, Entry 43 followed by EN 14362-1: 2017	P
8	Monomer Requirement	EN 71-9: 2005+A1: 2007/ EN 71-11:2005	P
9	Flame Retardant	2009/48/EC APPENDIX C OF ANNEX II(EN 71-9:2005+A1:2007 / EN 71-11:2005	P
10	Formaldehyde Content	BS EN71-9:2005+A:2007/ ISO 14184-1: 2011	P
11	Plasticizer	EN 71-9: 2005+A1: 2007/ EN 71-11:2005	P

12	Total Cadmium Content	EUROPEAN REGULATION (EC) NO. 1907/2006 REACH ANNEX XVII-EN 1122:2001	P
13	Colourants Requirement	EN 71-9: 2005+A1: 2007/EN 71-10:2005 / EN 71-11:2005	P
14	Primary Aromatic Amines Requirement	EN 71-9: 2005+A1: 2007/ EN 71-11:2005	P
15	Solvent Migration	EN 71-9:2005+A1:2007, /EN 71-11: 2005	P
16	COLOUR FASTNESS TO Washing	ISO 105 C06:2010	P
17	Labeling Requirement (Washing/Cleaning Instruction)	EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC - SAFETY OF TOYS	P

P=Pass, F=Fail, NA: Not Applicable

Testing Remark: Revision: -The test Report No. CPSGGTY2507054-Rev.01 is Supersedes over CPSGGTY2507054 which was released on 12-03-2025.

Due to Add the test EN 71-1, EN 71-2, EN 71-3 as per client request.

Revision Remark2: The test Report No. CPSGGTY2507054-Rev.02 is Supersedes over CPSGGTY2507054_Rev01 which was released on 08-04-2025 Due to Add the test Azo Dyes, Monomer Requirement, Flame Retardant, Formaldehyde Content, Plasticizer, Total Cadmium Content as per client request Remark:

1. The sample were conditioned and tested in environmental conditions Temperature 21 °C (±5) and for textile relative humidity 65% (±10).
2. Statement of conformity and decision rule will be given (if applicable).
3. Test result is drawn according to the kind and extent tests performed.
4. Without permission of the tests Centre, this report is not permitted to be duplicated in extracts. This report does not entitle to carry any safety mark on this or similar products.
5. Test result apply to the sample as received.
6. The result relates only sample tested.

1. MECHANICAL AND PHYSICAL PROPERTIES

EN 71 Part 1: 2014+A1: 2018

Age Group- 2 MONTHS+

Clause	Testing items	Test Results	Assessment
4	General requirements		-
4.1	Material	Material is visually cleaned and free from any infestation	M
4.2	Assembly	Warning present	M
4.3	Flexible plastic sheeting	An average thickness =0.058mm (While Requirement of average thickness is 0.038mm)	M
4.7	Edges	No sharp edges observed	M
4.8	Points and metallic wires	No sharp point observed	M
4.20	Acoustics	Exposure category-2 LpA= 82.1dB, Lpcpeak= 99.6dB	M
5.1	Toys intended for children under 36 months	No hazardous observed See Table-1	M
5.2	Soft-filled toys and soft-filled parts of a toy	No hazardous observed	M
5.3	Plastic Sheeting	An average thickness =0.058mm (While Requirement of average thickness is 0.038mm)	M
5.4.9.2	Toys otherwise intended to be attached to a cradle, cot or perambulator	Warning present	M
6	Packaging	An average thickness =0.058mm (While Requirement of average thickness is 0.038mm)	M
7	Warnings, markings and instructions for use	-	-
7.1	General	-	M
7.23	Toys otherwise intended to be attached to a cradle, cot or perambulator	Warning present	M
Table-1	Reasonably foreseeable abuse test	-	-
Clause no.	Testing parameter	Requirement	
8.5	Drop test	Age group- 0 months+ Number of drop- 5 times Drop height- 85 cm	Pass
8.3	Torque test Direction -clockwise /anticlockwise Achieve	Torque force-(0.34±0.02) Nm or A rotation - 180°	Pass
8.4	Tension test	Tension force- 90±2 N Apply time- 5sec. Maintain time- 10sec.	Pass
8.4.2.2	Seams and Materials	Tension force- 70±2 N Apply time- 5sec. Maintain time- 10sec	Pass
Table-2	Plastic Sheeting	-	-

Sr. No.	Thickness Readings (in mm)	Requirement (Average thickness)	Result
1	0.062 mm	0.038mm	Pass
2	0.058 mm	0.038mm	Pass
3	0.056 mm	0.038mm	Pass
4	0.058 mm	0.038mm	Pass
5	0.058 mm	0.038mm	Pass
6	0.062 mm	0.038mm	Pass
7	0.060 mm	0.038mm	Pass
8	0.054 mm	0.038mm	Pass
9	0.055 mm	0.038mm	Pass
10	0.059 mm	0.038mm	Pass
	Average thickness-0.058 mm	0.038mm	Pass

NOTE: M = Meet requirement, F = Does not meet Requirement, NA = Not Applicable

2. FLAMMABILITY TEST

EN 71 Part 2: 2020

Clause	Testing Items	Assessment
4.1	General	M
4.2	Toys to be worn on the head	NA
4.3	Toys disguise costumes and toy intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	M Burn rate- 8.2 mm/ sec.

NOTE: M = Meet requirement, F = Does not meet Requirement, NA = Not Applicable

3. MIGRATION OF CERTAIN ELEMENTS-FOLLOWED BY ICP-MS ANALYSIS

EN Part 71-3: 2019+A1: 2021

Sr. No.	Test Parameters	Results (mg/kg)	Results (mg/kg)	Results (mg/kg)	Results (mg/kg)	Requirement (mg/kg)	Conclusion
		1	2	3	4	Category 3	
1.	Aluminium (Al)	<5	<5	<5	<5	28130	M
2.	Antimony (Sb)	<5	<5	<5	<5	560	M
3.	Arsenic (As)	<0.5	<0.5	<0.5	<0.5	47	M
4.	Barium (Ba)	<5	<5	<5	<5	18750	M
5.	Boron (B)	<5	<5	<5	<5	15000	M
6.	Cadmium (Cd)	<0.1	<0.1	<0.1	<0.1	17	M

Report No: CPSGGTY2507054_Rev02

Dated: 11 Aug 2025

7.	Chromium (III)	<5	<5	<5	<5	460	M
8.	Chromium (VI)	<0.005	<0.005	<0.005	<0.005	0.053	M
9.	Cobalt (Co)	<0.5	<0.5	<0.5	<0.5	130	M
10.	Copper (Cu)	<5	<5	<5	<5	7700	M
11.	Lead (Pb)	<0.5	<0.5	<0.5	<0.5	23	M
12.	Manganese (Mn)	<5	<5	<5	<5	15000	M
13.	Mercury (Hg)	<0.5	<0.5	<0.5	<0.5	94	M
14.	Nickel (Ni)	<5	<5	<5	<5	930	M
15.	Selenium (Se)	<5	<5	<5	<5	460	M
16.	Strontium (Sr)	<5	<5	<5	<5	56000	M
17.	Tin (Sn)	<5	<5	<5	<5	180000	M
18.	Organic tin	<0.05	<0.05	<0.05	<0.05	12	M
19.	Zinc (Zn)	<5	<5	<5	<5	46000	M

Sr. No.	Test Parameters	Results (mg/kg)	Results (mg/kg)	Results (mg/kg)	Results (mg/kg)	Requirement (mg/kg)	Conclusion
		5	6	7	8	Category 3	
1.	Aluminium (Al)	<5	<5	<5	<5	28130	M
2.	Antimony (Sb)	<5	<5	<5	<5	560	M
3.	Arsenic (As)	<0.5	<0.5	<0.5	<0.5	47	M
4.	Barium (Ba)	<5	<5	<5	<5	18750	M
5.	Boron (B)	<5	<5	<5	<5	15000	M
6.	Cadmium (Cd)	<0.1	<0.1	<0.1	<0.1	17	M
7.	Chromium (III)	<5	<5	<5	<5	460	M
8.	Chromium (VI)	<0.005	<0.005	<0.005	<0.005	0.053	M
9.	Cobalt (Co)	<0.5	<0.5	<0.5	<0.5	130	M
10.	Copper (Cu)	<5	<5	<5	<5	7700	M
11.	Lead (Pb)	<0.5	<0.5	<0.5	<0.5	23	M
12.	Manganese (Mn)	<5	<5	<5	<5	15000	M
13.	Mercury (Hg)	<0.5	<0.5	<0.5	<0.5	94	M

Report No: CPSGGTY2507054_Rev02

Dated: 11 Aug 2025

14.	Nickel (Ni)	<5	<5	<5	<5	930	M
15.	Selenium (Se)	<5	<5	<5	<5	460	M
16.	Strontium (Sr)	<5	<5	<5	<5	56000	M
17.	Tin (Sn)	<5	<5	<5	<5	180000	M
18.	Organic tin	<0.05	<0.05	<0.05	<0.05	12	M
19.	Zinc (Zn)	<5	<5	<5	<5	46000	M

Sr. No.	Test Parameters	Results (mg/kg)	Results (mg/kg)	Results (mg/kg)	Results (mg/kg)	Requirement (mg/kg)	Conclusion
		9	10	11	12	Category 3	
1.	Aluminium (Al)	<5	<5	<5	<5	28130	M
2.	Antimony (Sb)	<5	<5	<5	<5	560	M
3.	Arsenic (As)	<0.5	<0.5	<0.5	<0.5	47	M
4.	Barium (Ba)	<5	<5	<5	<5	18750	M
5.	Boron (B)	<5	<5	<5	<5	15000	M
6.	Cadmium (Cd)	<0.1	<0.1	<0.1	<0.1	17	M
7.	Chromium (III)	<5	<5	<5	<5	460	M
8.	Chromium (VI)	<0.005	<0.005	<0.005	<0.005	0.053	M
9.	Cobalt (Co)	<0.5	<0.5	<0.5	<0.5	130	M
10.	Copper (Cu)	<5	<5	<5	<5	7700	M
11.	Lead (Pb)	<0.5	<0.5	<0.5	<0.5	23	M
12.	Manganese (Mn)	<5	<5	<5	<5	15000	M
13.	Mercury (Hg)	<0.5	<0.5	<0.5	<0.5	94	M
14.	Nickel (Ni)	<5	<5	<5	<5	930	M
15.	Selenium (Se)	<5	<5	<5	<5	460	M
16.	Strontium (Sr)	<5	<5	<5	<5	56000	M
17.	Tin (Sn)	<5	<5	<5	<5	180000	M
18.	Organic tin	<0.05	<0.05	<0.05	<0.05	12	M
19.	Zinc (Zn)	<5	<5	<5	<5	46000	M

Sr. No.	Test Parameters	Results (mg/kg)	Results (mg/kg)	Results (mg/kg)	Results (mg/kg)	Requirement (mg/kg)	Conclusion
		13	14	15	16	Category 3	
1.	Aluminium (Al)	<5	<5	<5	<5	28130	M
2.	Antimony (Sb)	<5	<5	<5	<5	560	M
3.	Arsenic (As)	<0.5	<0.5	<0.5	<0.5	47	M
4.	Barium (Ba)	<5	<5	<5	<5	18750	M
5.	Boron (B)	<5	<5	<5	<5	15000	M
6.	Cadmium (Cd)	<0.1	<0.1	<0.1	<0.1	17	M
7.	Chromium (III)	<5	<5	<5	<5	460	M
8.	Chromium (VI)	<0.005	<0.005	<0.005	<0.005	0.053	M
9.	Cobalt (Co)	<0.5	<0.5	<0.5	<0.5	130	M
10.	Copper (Cu)	<5	<5	<5	<5	7700	M
11.	Lead (Pb)	<0.5	<0.5	<0.5	<0.5	23	M
12.	Manganese (Mn)	<5	<5	<5	<5	15000	M
13.	Mercury (Hg)	<0.5	<0.5	<0.5	<0.5	94	M
14.	Nickel (Ni)	<5	<5	<5	<5	930	M
15.	Selenium (Se)	<5	<5	<5	<5	460	M
16.	Strontium (Sr)	<5	<5	<5	<5	56000	M
17.	Tin (Sn)	<5	<5	<5	<5	180000	M
18.	Organic tin	<0.05	<0.05	<0.05	<0.05	12	M
19.	Zinc (Zn)	<5	<5	<5	<5	46000	M

Sr. No.	Test Parameters	Results (mg/kg)	Results (mg/kg)	Results (mg/kg)	Results (mg/kg)	Requirement (mg/kg)	Conclusion
		17	18	19	20	Category 3	
1.	Aluminium (Al)	<5	<5	<5	<5	28130	M
2.	Antimony (Sb)	<5	<5	<5	<5	560	M
3.	Arsenic (As)	<0.5	<0.5	<0.5	<0.5	47	M
4.	Barium (Ba)	<5	<5	<5	<5	18750	M

Report No: CPSGGTY2507054_Rev02

Dated: 11 Aug 2025

5.	Boron (B)	<5	<5	<5	<5	15000	M
6.	Cadmium (Cd)	<0.1	<0.1	<0.1	<0.1	17	M
7.	Chromium (III)	<5	<5	<5	<5	460	M
8.	Chromium (VI)	<0.005	<0.005	<0.005	<0.005	0.053	M
9.	Cobalt (Co)	<0.5	<0.5	<0.5	<0.5	130	M
10.	Copper (Cu)	<5	<5	<5	<5	7700	M
11.	Lead (Pb)	<0.5	<0.5	<0.5	<0.5	23	M
12.	Manganese (Mn)	<5	<5	<5	<5	15000	M
13.	Mercury (Hg)	<0.5	<0.5	<0.5	<0.5	94	M
14.	Nickel (Ni)	<5	<5	<5	<5	930	M
15.	Selenium (Se)	<5	<5	<5	<5	460	M
16.	Strontium (Sr)	<5	<5	<5	<5	56000	M
17.	Tin (Sn)	<5	<5	<5	<5	180000	M
18.	Organic tin	<0.05	<0.05	<0.05	<0.05	12	M
19.	Zinc (Zn)	<5	<5	<5	<5	46000	M

Sr. No.	Test Parameters	Results (mg/kg)	Results (mg/kg)	Results (mg/kg)	Results (mg/kg)	Requirement (mg/kg)	Conclusion
		21	22	23	24	Category 3	
1.	Aluminium (Al)	<5	<5	<5	<5	28130	M
2.	Antimony (Sb)	<5	<5	<5	<5	560	M
3.	Arsenic (As)	<0.5	<0.5	<0.5	<0.5	47	M
4.	Barium (Ba)	<5	<5	<5	<5	18750	M
5.	Boron (B)	<5	<5	<5	<5	15000	M
6.	Cadmium (Cd)	<0.1	<0.1	<0.1	<0.1	17	M
7.	Chromium (III)	<5	<5	<5	<5	460	M
8.	Chromium (VI)	<0.005	<0.005	<0.005	<0.005	0.053	M
9.	Cobalt (Co)	<0.5	<0.5	<0.5	<0.5	130	M
10.	Copper (Cu)	<5	<5	<5	<5	7700	M
11.	Lead (Pb)	<0.5	<0.5	<0.5	<0.5	23	M
12.	Manganese (Mn)	<5	<5	<5	<5	15000	M
13.	Mercury (Hg)	<0.5	<0.5	<0.5	<0.5	94	M
14.	Nickel (Ni)	<5	<5	<5	<5	930	M
15.	Selenium (Se)	<5	<5	<5	<5	460	M
16.	Strontium (Sr)	<5	<5	<5	<5	56000	M
17.	Tin (Sn)	<5	<5	<5	<5	180000	M
18.	Organic tin	<0.05	<0.05	<0.05	<0.05	12	M
19.	Zinc (Zn)	<5	<5	<5	<5	46000	M

NOTE: M = Meet requirement, F = Does not meet Requirement, NA = Not Applicable, ND = Not Detected

Tested Component:

- 1- Yellow shiny plastic of musical
- 2- White plastic of key musical
- 3- Black plastic of key musical
- 4- Orange button white coating musical
- 5- Light red plastic of musical
- 6- Baby pink plastic of musical
- 7- Shiny orange mirror plastic
- 8- Magenta plastic mirror
- 9- Silver plastic mirror
- 10- Yellow plastic of screw
- 11- Light blue plastic ring
- 12- Light pink plastic ring
- 13- Lime green plastic ring
- 14- Lime yellow plastic ring
- 15- Orange plastic ring
- 16- Baby pink shiny plastic of musical
- 17- Dark pink plastic around orange button
- 18- Yellow fabric strap
- 19- Lemon yellow fabric strap
- 20- Grey strap
- 21- White striped grey fabric
- 22- Multicolour printed fabric
- 23- Grey fushing matfabric
- 24- White fabric

4. SAFETY OF ELECTRIC TOYS

EN IEC 62115: 2020

Section	Testing Items	Assessment
1	Scope	-
2	Normative references	-
3	Terms and definitions	-
4	General requirement	-
5	General condition for test	-
6	Criteria for reduced testing	M
7	Marking and instructions	M
8	Power input	NA
9	Heating and abnormal operation	M
10	Electric strength	M
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	NA
12	Mechanical strength	M
13	Construction	M
14	Protection of cords and wires	M
15	Components	M
16	Screws and connections	M
17	Clearances and creepage distances	M
18	Resistance to heat and fire	M
19	Radiation and similar hazards	M Refer to EN-71-3 Result Table
19.2	Optical Radiation	M Wave length consider b/w less than 470 to 700 μm

Remark: M = Meet requirement, F = Does not meet Requirement, NA = Not Applicable

5. PAH'S

REGULATION (EC) NO.1907/2006 & AMMENDMENT (EU) NO.1272/2013-(AFPS GS 2019:01 PAK)

Test Parameter	CAS-NO	Result (mg/kg)					Requirement	Conclusion
		1+2+3	4+5+6	7+8+10	11+12+13	14+15		
Benzo[a]Anthracene	56-55-3	ND	ND	ND	ND	ND	0.5 mg/kg	M
Chrysene	218-01-9	ND	ND	ND	ND	ND		
Benzo[b]Fluoranthene	205-99-2	ND	ND	ND	ND	ND		
Benzo[k]Fluoranthene	207-08-9	ND	ND	ND	ND	ND		
Benzo[a]Pyrene	50-32-8	ND	ND	ND	ND	ND		
Dibenzo[a,h]Anthracene	53-70-3	ND	ND	ND	ND	ND		
Benzo[e]Peryene	192-97-2	ND	ND	ND	ND	ND		
Benzo[j]Fluoranthene	205-82-3	ND	ND	ND	ND	ND		

Test Parameter	CAS-NO	Result (mg/kg)				Requirement	Conclusion
		16+17	9				
Benzo[a]Anthracene	56-55-3	ND	ND			0.5 mg/kg	M
Chrysene	218-01-9	ND	ND				
Benzo[b]Fluoranthene	205-99-2	ND	ND				
Benzo[k]Fluoranthene	207-08-9	ND	ND				
Benzo[a]Pyrene	50-32-8	ND	ND				
Dibenzo[a,h]Anthracene	53-70-3	ND	ND				
Benzo[e]Peryene	192-97-2	ND	ND				
Benzo[j]Fluoranthene	205-82-3	ND	ND				

NOTE: M = Meet requirement, F = Does not meet Requirement, NA = Not Applicable
 BDL = Below Detection Limit, Detection Limit = 0.2 ppm,

Tested Component:

- 1- Yellow shiny plastic of musical
- 2- White plastic of key musical
- 3- Black plastic of key musical
- 4- Orange button white coating musical
- 5- Light red plastic of musical
- 6- Baby pink plastic of musical
- 7- Shiny orange mirror plastic
- 8- Magenta plastic mirror
- 9- Silver plastic mirror
- 10- Yellow plastic of screw
- 11- Light blue plastic ring
- 12- Light pink plastic ring
- 13- Lime green plastic ring
- 14- Lime yellow plastic ring
- 15- Orange plastic ring
- 16- Baby pink shiny plastic of musical
- 17- Dark pink plastic around orange button

6. PHTHALATE

Annex XVII points 51 & 52 of the REACH Regulations (1907/2006) (CPSC-CH-C1001-09.4:2018)

Sr. No.	Phthalate	Results (% w/w)					Requirement (% w/w max.)	Conclusion
		1+2+3	4+5+6	7+8+10	9	11+12+13		
1.	Di butyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1	M
2.	Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1	M
3.	Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1	M
4.	Di-Iso-Butyl phthalate(DIBP)	ND	ND	ND	ND	ND	0.1	M
	Sum of Four phthalate	ND	ND	ND	ND	ND	0.1	M
5.	Di-iso Nonyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1	M
6.	Di-n-octyl phthalate (DnOP)	ND	ND	ND	ND	ND	0.1	M
7.	Di-isodecyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1	M
	Sum of Three phthalate	ND	ND	ND	ND	ND	0.1	M

Sr. No.	Phthalate	Results (% w/w)					Requirement (% w/w max.)	Conclusion
		14+15	16+17					
1.	Di butyl phthalate (DBP)	ND	ND				0.1	M
2.	Diethyl hexyl phthalate (DEHP)	ND	ND				0.1	M
3.	Benzyl butyl phthalate (BBP)	ND	ND				0.1	M
4.	Di-Iso-Butyl phthalate(DIBP)	ND	ND				0.1	M
	Sum of Four phthalate	ND	ND				0.1	M
5.	Di-iso Nonyl phthalate (DINP)	ND	ND				0.1	M
6.	Di-n-octyl phthalate (DnOP)	ND	ND				0.1	M
7.	Di-isodecyl phthalate (DIDP)	ND	ND				0.1	M
	Sum of Three phthalate	ND	ND				0.1	M

NOTE: M = Meet requirement, F = Does not meet Requirement, NA = Not Applicable, ND = Not Detected, Detection Limit = 50 ppm

Tested Component:

- 1- Yellow shiny plastic of musical
- 2- White plastic of key musical
- 3- Black plastic of key musical
- 4- Orange button white coating musical
- 5- Light red plastic of musical
- 6- Baby pink plastic of musical
- 7- Shiny orange mirror plastic
- 8- Magenta plastic mirror
- 9- Silver plastic mirror
- 10- Yellow plastic of screw
- 11- Light blue plastic ring
- 12- Light pink plastic ring
- 13- Lime green plastic ring
- 14- Lime yellow plastic ring
- 15- Orange plastic ring
- 16- Baby pink shiny plastic of musical
- 17- Dark pink plastic around orange button

7. AZO DYES

As per REACH Annex XVII, Entry 43 followed by EN 14362-1: 2017

Amines	CAS-NO	Result (mg/kg)			Requirement
		Tested Component			
		1+3	2	4+5	
4-Aminobiphenyl	92-67-1	ND	ND	ND	<30 Mg/Kg
Benzidine	92-87-5	ND	ND	ND	
4-Chloro-O-Toluidine	95-69-2	ND	ND	ND	
2-Naphthylamine	91-59-8	ND	ND	ND	
O-Aminoazotoluene	97-56-3	ND	ND	ND	
2-Amino-4-Nitrotoluene	99-55-8	ND	ND	ND	
P-Chloroaniline	106-47-8	ND	ND	ND	
2,4-Diaminoanisole	615-05-4	ND	ND	ND	
4,4'-Diaminodiphenylmethane	101-77-9	ND	ND	ND	
3,3'-Dichlorobenzidine	91-94-1	ND	ND	ND	
3,3'-Dimethoxybenzidine	119-90-4	ND	ND	ND	
3,3'-Dimethylbenzidine	119-93-7	ND	ND	ND	
3,3'-Dimethyl-4,4' Diaminobiphenylmethane	838-88-0	ND	ND	ND	
P-Cresidine	120-71-8	ND	ND	ND	
4,4'-Methylene-Bis-(2- Chloroaniline)	101-14-4	ND	ND	ND	
4,4'-Oxydianiline	101-80-4	ND	ND	ND	
4,4'-Thiodianiline	139-65-1	ND	ND	ND	
O-Toluidine	95-53-4	ND	ND	ND	
2,4-Toluenediamine	95-80-7	ND	ND	ND	
2,4,5-Trimethylaniline	137-17-7	ND	ND	ND	
2-Methoxyaniline	90-04-0	ND	ND	ND	
P-Aminoazobenzene	60-09-3	ND	ND	ND	
2,6 Xylidine	87-62-7	ND	ND	ND	
2,4-Xylidine	95-68-1	ND	ND	ND	

Remark: ND = Not Detected, Mg/kg= Milligram per kilogram, Detection limit: 5 mg/kg

Tested Component:

- 1-Gray/White Stripe Fabric**
- 2-Multicolor Printed Fabric**
- 3- Gray Tape Printed Fabric**
- 4- Yellow Tape Printed Fabric**
- 5-Gray Back/Piping Fabric**

8. MONOMER REQUIREMENT

EN 71-9: 2005+A1: 2007/ EN 71-11:2005

Compounds (As per Table 2D)	CAS Number	Result (mg/kg)										Limit (mg/l)	Conclusion
		1	2	3	4	5	6	7	8	9	10		
Acrylamide	79-06-1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03 mg/l	M
Bisphenol A	80-05-7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1 mg/l	M
Formaldehyde	50-00-0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.5 mg/l	M
Phenol	108-95-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	15 mg/l	M
Styrene	100-42-5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.75 mg/l	M

Compounds (As per Table 2D)	CAS Number	Result (mg/kg)								Limit (mg/l)	Conclusion
		11	12	13	14	15	16	17			
Acrylamide	79-06-1	ND	ND	ND	ND	ND	ND	ND	ND	0.03 mg/l	M
Bisphenol A	80-05-7	ND	ND	ND	ND	ND	ND	ND	ND	0.1 mg/l	M
Formaldehyde	50-00-0	ND	ND	ND	ND	ND	ND	ND	ND	2.5 mg/l	M
Phenol	108-95-2	ND	ND	ND	ND	ND	ND	ND	ND	15 mg/l	M
Styrene	100-42-5	ND	ND	ND	ND	ND	ND	ND	ND	0.75 mg/l	M

NOTE: M = Meet requirement, F = Does not meet Requirement, NA = Not Applicable, ND = Not Detected, Mg/kg = Milligram per kilogram

Tested Components:

- 1- Red Plastic
- 2- Orange Plastic Lt.
- 3- White Plastic
- 4- Pink Plastic (Body)
- 5- Purple Plastic (Ring)
- 6- Green Plastic (Ring)
- 7- Yellow Plastic (Ring)
- 8- Orange Plastic (Ring)
- 9- Black Plastic
- 10- Orange Printed Button
- 11- Gray/White Stripe Fabric
- 12- Multicolor Printed Fabric
- 13- Gray Tape Printed Fabric
- 14- Yellow Tape Printed Fabric
- 15- Gray Back/Piping Fabric
- 16- Pink Mirror body Plastic
- 17- Silver Mirror Plastic

09.FLAME RETARDANT

2009/48/EC APPENDIX C OF ANNEX II(EN 71-9:2005+A1: 2007 / EN 71-11:2005

Compounds (As per Table 2I)	CAS Number	Result (mg/kg)			Limit (mg/kg)	Conclusion
		1+3	2	4+5		
Tri-o-Cresyl phosphate	78-30-8	ND	ND	ND	5mg/kg	M
Tris(2-chloroethyl) phosphate (TCPP)	13674-84-5	ND	ND	ND	5mg/kg	M
Pentabromodiphenyl ether	563-80-4	ND	ND	ND	5mg/kg	M
Octabromodiphenyl ether	78-32-0	ND	ND	ND	5mg/kg	M
Tris (2-chloro-1-(chloromethyl)ethyl) phosphate (TDCP)	13674-87-8	ND	ND	ND	5mg/kg	M
Tris(2-chloroethyl) phosphate	115-96-8	ND	ND	ND	5mg/kg	M

NOTE: M = Meet requirement, F = Does not meet Requirement, NA = Not Applicable, ND = Not Detected,
Mg/kg = Milligram per kilogram

Tested Component:

- 1-Gray/White Stripe Fabric
- 2-Multicolor Printed Fabric
- 3- Gray Tape Printed Fabric
- 4- Yellow Tape Printed Fabric
- 5-Gray Back/Piping Fabric

10. FORMALDEHYDE CONTENT

BS EN71-9:2005+A:2007/ ISO 14184-1: 2011

Tested component	Result	Requirement	Conclusion
1+3	ND	<30 Mg/Kg	M
2	ND	<30 Mg/Kg	M
4+5	ND	<30 Mg/Kg	M

NOTE: M = Meet requirement, F = Does not meet Requirement, NA = Not Applicable, < = Less than
Mg/kg = Milligram per kilogram, Detection Limit= 16 mg/kg

Tested Component:

- 1-Gray/White Stripe Fabric
- 2-Multicolor Printed Fabric
- 3- Gray Tape Printed Fabric
- 4- Yellow Tape Printed Fabric
- 5-Gray Back/Piping Fabric

11. PLASTICIZER

EN 71-9: 2005+A1: 2007/ EN 71-11:2005

Compounds (As per Table 2I)	CAS Number	Result (mg/kg)							Limit (mg/l)	Conclusion
		1	2	3	4	5	6	7		
Triphenyl phosphate	115-86-6	ND	ND	ND	ND	ND	ND	ND	0.03 mg/l	M
Tri-o-cresyl Phosphate	78-30-8	ND	ND	ND	ND	ND	ND	ND	0.03 mg/l	M
Tri-m-cresyl Phosphate	563-04-2	ND	ND	ND	ND	ND	ND	ND	0.03 mg/l	M
Tri-p-cresyl Phosphate	78-32-0	ND	ND	ND	ND	ND	ND	ND	0.03 mg/l	M

Compounds (As per Table 2I)	CAS Number	Result (mg/kg)							Limit (mg/l)	Conclusion
		8	9	10	11	12	13	14		
Triphenyl phosphate	115-86-6	ND	ND	ND	ND	ND	ND	ND	0.03 mg/l	M
Tri-o-cresyl Phosphate	78-30-8	ND	ND	ND	ND	ND	ND	ND	0.03 mg/l	M
Tri-m-cresyl Phosphate	563-04-2	ND	ND	ND	ND	ND	ND	ND	0.03 mg/l	M
Tri-p-cresyl Phosphate	78-32-0	ND	ND	ND	ND	ND	ND	ND	0.03 mg/l	M

Compounds (As per Table 2I)	CAS Number	Result (mg/kg)			Limit (mg/l)	Conclusion
		15	16	17		
Triphenyl phosphate	115-86-6	ND	ND	ND	0.03 mg/l	M
Tri-o-cresyl Phosphate	78-30-8	ND	ND	ND	0.03 mg/l	M
Tri-m-cresyl Phosphate	563-04-2	ND	ND	ND	0.03 mg/l	M
Tri-p-cresyl Phosphate	78-32-0	ND	ND	ND	0.03 mg/l	M

NOTE: M = Meet requirement, F = Does not meet Requirement, NA = Not Applicable, ND = Not Detected, Mg/kg = Milligram per kilogram

Tested Components:

- 1- Red Plastic
- 2- Orange Plastic Lt.
- 3- White Plastic
- 4- Pink Plastic (Body)
- 5- Purple Plastic (Ring)
- 6- Green Plastic (Ring)
- 7- Yellow Plastic (Ring)
- 8- Orange Plastic (Ring)
- 9- Black Plastic
- 10- Orange Printed Button
- 11- Gray/White Stripe Fabric
- 12- Multicolor Printed Fabric
- 13- Gray Tape Printed Fabric
- 14- Yellow Tape Printed Fabric
- 15- Gray Back/Piping Fabric
- 16- Pink Mirror body Plastic
- 17- Silver Mirror Plastic

12. TOTAL CADMIUM CONTENT

EUROPEAN REGULATION (EC) NO. 1907/2006 REACH ANNEX XVII-EN 1122:2001

Tested Component	Results(ppm)	Requirement	Conclusion
1+2	ND	100 ppm	M
3+4	ND	100 ppm	M
5 +6 +7	ND	100 ppm	M
8+9+10	ND	100 ppm	M
13+14	ND	100 ppm	M
16	ND	100 ppm	M
17	ND	100 ppm	M

NOTE: M = Meet requirement, F = Does not meet Requirement, NA = Not Applicable, ND = Not Detected, Mg/kg = Milligram per kilogram

Tested Components:

Tested Components:

- 1- Red Plastic
- 2- Orange Plastic Lt.
- 3- White Plastic
- 4- Pink Plastic (Body)
- 5- Purple Plastic (Ring)
- 6- Green Plastic (Ring)
- 7- Yellow Plastic (Ring)
- 8- Orange Plastic (Ring)
- 9- Black Plastic
- 10- Orange Printed Button
- 11- Gray/White Stripe Fabric
- 12- Multicolor Printed Fabric
- 13- Gray Tape Printed Fabric
- 14- Yellow Tape Printed Fabric
- 15- Gray Back/Piping Fabric
- 16- Pink Mirror body Plastic
- 17- Silver Mirror Plastic

13. COLOURANTS REQUIREMENT

EN 71-9: 2005+A1: 2007/EN 71-10:2005 / EN 71-11:2005

Compounds (As per Table 2B)	Result (mg/kg)			Max Limit (mg/kg)	Conclusion
	1+2	3	4+5		
Disperse Blue 1	ND	ND	ND	10.0 mg/kg	M
Disperse Blue 3	ND	ND	ND	10.0 mg/kg	M
Disperse Blue 106	ND	ND	ND	10.0 mg/kg	M
Disperse Blue 124	ND	ND	ND	10.0 mg/kg	M
Disperse Yellow 3	ND	ND	ND	10.0 mg/kg	M
Disperse Orange 3	ND	ND	ND	10.0 mg/kg	M
Disperse Orange 37/76	ND	ND	ND	10.0 mg/kg	M
Disperse Red 1	ND	ND	ND	10.0 mg/kg	M
Disperse Yellow 1	ND	ND	ND	10.0 mg/kg	M
Disperse Yellow 2	ND	ND	ND	10.0 mg/kg	M
Disperse Yellow 3	ND	ND	ND	10.0 mg/kg	M
Basic Red 9	ND	ND	ND	10.0 mg/kg	M
Basic violet 1	ND	ND	ND	10.0 mg/kg	M
Basic violet 3	ND	ND	ND	10.0 mg/kg	M
Acid Red 26	ND	ND	ND	10.0 mg/kg	M
Acid violet 49	ND	ND	ND	10.0 mg/kg	M

NOTE: M = Meet requirement, F = Does not meet Requirement, NA = Not Applicable, < = Less than
Mg/kg = Milligram per kilogram, Detection Limit: 5 mg/kg

Tested Component:

1. Grey /White stripe fabric
2. Grey tape
3. Multicolor printed fabric
4. Yellow tape
5. Grey back/Piping fabric

14. PRIMARY AROMATIC AMINES REQUIREMENT

EN 71-9: 2005+A1: 2007/ EN 71-11:2005

PAA (As per Table 2C)	Result (mg/kg)			Requirement (mg/kg)	Conclusion
	1+2	3	4+5		
Benzidine	ND	ND	ND	5.0 mg/kg	M
2-Naphthylamine	ND	ND	ND	5.0 mg/kg	M
4-Chloroaniline	ND	ND	ND	5.0 mg/kg	M
3,3'-Dichlorobenzidine	ND	ND	ND	5.0 mg/kg	M
3,3'-Dimethoxybenzidine	ND	ND	ND	5.0 mg/kg	M
3,3'-Dimethylebenzidine	ND	ND	ND	5.0 mg/kg	M
O-Toluidine	ND	ND	ND	5.0 mg/kg	M
2-Methoxyaniline	ND	ND	ND	5.0 mg/kg	M
Aniline	ND	ND	ND	5.0 mg/kg	M

NOTE: M = Meet requirement, F = Does not meet Requirement, NA = Not Applicable, < = Less than
Mg/kg = Milligram per kilogram, Detection limit: 5 mg/kg

Tested Components:

- 1- Gray/White Stripe Fabric
- 2-Multicolor Printed Fabric
- 3- Gray Tape Printed Fabric
- 4-Yellow Tape Printed Fabric
- 5-Gray Back/Piping Fabric

15. SOLVENT MIGRATION

EN 71-9:2005+A1:2007, /EN 71-11: 2005

Test Parameters	CAS Number	Result (mg/kg)				Limit (mg/l)	Conclusion
		1	2	3	4		
Trichloroethylene	79-01-6	ND	ND	ND	ND	0.02 mg/l	M
Dichloromethane	75-09-2	ND	ND	ND	ND	0.06mg/l	M
2-Methoxyethyl acetate	110-49-6	ND	ND	ND	ND	0.5 mg/l	M
2-Ethoxyethanol	110-80-5	ND	ND	ND	ND		M
2-Ethoxyethyl Acetate	111-15-9	ND	ND	ND	ND		M
Bis(2-methoxyethyl) ether	111-96-6	ND	ND	ND	ND		M
2-Methoxypropyl acetate	70657-70-4	ND	ND	ND	ND		M
Methanol	67-56-1	ND	ND	ND	ND	5.0 mg/l	M
Nitrobenzene	98-95-3	ND	ND	ND	ND	0.02 mg/l	M
Cyclohexanone	108-94-1	ND	ND	ND	ND	46 mg/l	M
Isophorone	78-59-1	ND	ND	ND	ND	3.0 mg/l	M
Toluene	108-88-3	ND	ND	ND	ND	2.0 mg/l	M
Ethylbenzene	100-41-4	ND	ND	ND	ND	1.0 mg/l	M
Xylene isomers	Various	ND	ND	ND	ND	2.0 mg/l	M

Test Parameters	CAS Number	Result (mg/kg)				Limit (mg/l)	Conclusion
		5	6	7	8		
Trichloroethylene	79-01-6	ND	ND	ND	ND	0.02 mg/l	M
Dichloromethane	75-09-2	ND	ND	ND	ND	0.06mg/l	M
2-Methoxyethyl acetate	110-49-6	ND	ND	ND	ND	0.5 mg/l	M
2-Ethoxyethanol	110-80-5	ND	ND	ND	ND		M
2-Ethoxyethyl Acetate	111-15-9	ND	ND	ND	ND		M
Bis(2-methoxyethyl) ether	111-96-6	ND	ND	ND	ND		M
2-Methoxypropyl acetate	70657-70-4	ND	ND	ND	ND		M
Methanol	67-56-1	ND	ND	ND	ND	5.0 mg/l	M
Nitrobenzene	98-95-3	ND	ND	ND	ND	0.02 mg/l	M
Cyclohexanone	108-94-1	ND	ND	ND	ND	46 mg/l	M
Isophorone	78-59-1	ND	ND	ND	ND	3.0 mg/l	M
Toluene	108-88-3	ND	ND	ND	ND	2.0 mg/l	M
Ethylbenzene	100-41-4	ND	ND	ND	ND	1.0 mg/l	M
Xylene isomers	Various	ND	ND	ND	ND	2.0 mg/l	M

NOTE: M = Meet requirement, F = Does not meet Requirement, NA = Not Applicable
 < = Less than, Mg/kg = Milligram per kilogram

Tested Component:

1. Red Plastic
2. Light orange plastic
3. White plastic
4. Pink plastic (Body)
5. Purple plastic (Ring)
6. Green plastic (Ring)
7. Pink Mirror body plastic
8. Silver mirror plastic

16. COLOUR FASTNESS TO Washing

ISO 105 C06:2010

TEST 30 MIN MECHANICAL WASH AT 30°C IN ECE (B) REF. DETERGENT (WOB) SOLUTION WITH 10 STEEL BALLS


RESULT (GRADE)		
	RESULT (GRADE)	Requirement
Color Change	4 All	-
Color Staining on Acetate	4-5	-
Color Staining on Cotton	4-5	
Color Staining on Nylon	4-5	
Color Staining on Polyester	4-5	
Color Staining on Acrylic	4-5	
Color Staining on Wool	4-5	
Self-staining	4-5	-

17 LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION

EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC – SAFETY OF TOYS

Parameters	Observation Result	Location
Washing/Cleaning instruction	Not Applicable	-
CE mark	Not Present	-
Importer's Name & Address	Present	On Artwork
Manufacturer's Name & Address	Present	On Artwork
Product ID/Model No	Present	On Artwork

References Images

ITEM CODE	NAME OF ITEM	Sample Photo
DHT-CG-10491	Piano Fitness Rack	
DHT -1134	Premium Piano Fitness Rack	

COTECNA GENERAL TERMS & CONDITIONS

1. GENERAL

1.1. Services provided to a client (herein the "Principal") by an entity of the Cotecna group of companies (such entity herein referred to as the "Company"), directly or through the Company's agents and/or subcontractors, are subject to the Cotecna General Terms and Conditions (herein "GTC"), unless superseded by any Cotecna Specific Conditions applicable to specific Services (herein "STC"), both the GTC and STC as amended from time to time, with the current binding and applicable versions published at <http://www.cotecna.com/en/AboutCotecna/Terms-Conditions>. The Principal agrees to be automatically bound by any subsequent versions of the GTC and STC as available at the aforementioned URL and acknowledges that the Company will use reasonable endeavours to notify the Principal of any modifications including by way of publication on its website.

1.2. The offer, proposal or quotation made by the Company for the Services (herein the "Offer"), together with the GTC and, when applicable, the STC, constitute the entire agreement (herein the "Agreement") between the Company and the Principal in respect of the Services. Any Offer shall be considered accepted by the Principal whether such acceptance was express or implied, and whether in writing, by telephone, by any means of electronic or instant messaging, or deemed accepted by the start of performance of Services by the Company.

1.3. The Agreement supersedes all prior discussions and agreements with respect to the performance of Services, as well as any terms which the Principal may purport to impose in relation to the performance of the Services.

1.4. The Company may provide various Services, including but not limited to the following: testing, inspection, certification, laboratory analyses, sampling, verification of conformity, customized technology and software solutions, factory inspections, supplier and other customised audits, assurance services, advisory and training services, always as further specified in the Offer or as per applicable program instructions of a national or international body/ authority (herein the "Program").

2. PERFORMANCE OF SERVICES

2.1. The Company undertakes to perform Services with reasonable care, skill and diligence and according to i) the scope and methods of performance set out in the Offer and ii) the standards and codes of practice deemed appropriate by the Company in view of the specific Services.

2.2. The Principal acknowledges that the Company may, at its discretion, assign or subcontract all or part of the performance of the Services to affiliates, agents and/or subcontractors and provide all such necessary information to the same. In case of such assignment, references to the Company herein shall extend to the assignee as applicable.

2.3. The Company will use reasonable efforts in meeting delivery and turnaround times stated in the Offer, but such times are estimates and do not constitute a commitment by the Company. Unless expressly agreed by the parties, time is not of the essence.

2.4. The Principal undertakes (i) to provide all necessary instructions, specifications and precise information in a timely manner to enable the Company to perform the Services. Any documents reflecting undertakings entered into between the Principal and third parties or third-party documents such as test reports, sales contracts, letters of credit, and bills of lading, even when provided to the Company, shall not be part of the Agreement, unless expressly specified and acknowledged in the Offer; (ii) to provide the necessary access to buildings, plants, warehouses, carriers of any kind, or any other place, as well as special equipment and assistance, if necessary, to enable the Company to perform the Services in the requested timeframe; (iii) to ensure that all adequate measures will be taken for the safety of employees and representatives of the Company during performance of the Services; (iv) to promptly take all necessary measures to ensure that no obstruction prevents the Company from performing the Services; (v) to inform the Company in advance of all the known and/or suspected risks or dangers of whatever nature, present or future, linked to all orders, samples or tests requests, including but not limited to the presence or risk of radiation, toxic substances, harmful or explosive materials and pollution; and (vi) to fulfil all its obligations under the terms of any contract with third parties relating to the Services performed by the Company.

2.5. When the Company is asked to attest to the intervention of a third party, the scope of Services shall be limited to being present at the time of the intervention of the third party or, as the case may be, to reviewing documents attesting to such third-party intervention and communicating the results of the intervention, or confirming that it took place. When Services are performed in relation to a contractual counterpart of the Principal, in particular if a Deliverable (as defined in clause 3.1) will be provided as per clause 3.2, the Principal shall cause such counterpart to acknowledge the terms of the Agreement prior to performance of the Services.

2.6. The Company shall have the right to suspend or terminate the performance of the Services if so required by applicable laws or Program.

3. DELIVERABLES

3.1. Subject to the terms of the Offer or applicable Program, the Company may issue a report, certificate, results or other work product (herein the "Deliverable") which reflects the Company's findings, for the sole benefit of the Principal and/or the relevant authority administering the Program. The Company has no obligation to refer to, give an opinion upon, or announce facts or circumstances which go beyond the scope of the Services set out in the Offer.

3.2. A Deliverable issued by the Company only reflects the Company's findings at the time and place of its intervention and does not release the Principal from its obligations regarding any and all discrepancies between the goods or services subject of the Services, and those actually delivered or provided, respectively.

3.3. Except as required under an applicable Program or specified in the Offer, Deliverables shall not be distributed, published, copied, replicated or amended without the Company's prior written consent. The Principal further agrees not to misrepresent at any time the content of any Deliverable. Deliverables are always intended for use by persons having professional skill and training in the interpretation of the findings and results contained therein.

3.4. The scope of a Deliverable issued by the Company in the framework of a Program is limited by the conditions of the contract in force between the Company and the relevant authority or by the accreditation (or equivalent) granted by the latter or by the applicable standards or technical regulations. Such Deliverable is established according to pre-determined criteria provided at a point in time, and always subject to clause 6.

3.5. Results contained in a Deliverable issued after tests and/or analysis of samples relate to those samples only, and shall not be construed as indicative or representative of the quality or characteristics of the entire batch or lot from which the samples were taken. If the scope of Services expressly requires an opinion on the overall quality of a sampled consignment or otherwise, such opinion shall be limited by the sampling and testing methods used. Further, the Company shall not be liable for any deterioration or loss of sample material kept in the Company's custody.

4. FEES AND INVOICING

4.1. The Company provides its Services either (i) for the fees set out in the Offer or in the Program, or (ii) at the Company's standard rates (which are subject to change), as applicable, (herein the "Fees").

4.2. The Principal shall pay within thirty (30) days from the date of the invoice, all Fees due to and/or any expenses incurred by the Company in relation to the Services, failing which interest on arrears shall be due at 6.5% per annum as from the date when the payment was due until the actual date of payment.

4.3. Any applicable taxes shall be payable by the Principal. All payments to the Company shall be made as invoiced without deduction, retention, or set-off. However, in case any tax is required to be deducted or retained according to applicable laws, the sum payable by the Principal shall be increased to the extent necessary to ensure that the Company receives the entire invoiced sum, which it would have received had no tax been deducted or retained.

4.4. The Principal shall indemnify the Company for all the expenses incurred by it in recovering arrears due to the Principal's late payment, including lawyer's fees and other legal expenses.

4.5. If unforeseen problems arise or if the Company incurs extraordinary expenses for the performance of Services, the Company will have the right to invoice the amounts necessary to cover the time and the additional expenses. This includes, non-exhaustively, costs and flat fees for issuance of additional copies of Deliverables or re-issuance of any other document to the Principal. Further if the Company is unable to perform all or part of the service due to lack of access availability of cargo/goods/samples or undue delay, not caused by the Company, then the Company shall be entitled to reimbursement of such delay charges and expenses incurred by the Company from the Principal. The Company reserves the right to suspend or terminate its Services, at its sole discretion, if the Principal's account is overdue under this specific Agreement or any other agreement with the Company. Such suspension or termination of Services shall not be regarded as a breach of the relevant Agreement or REF: LEG23-3. Published in December 2023.

relieve the Principal from any of its payment obligations to the Company.

4.6. Notwithstanding clause 7, the Company reserves the right to unilaterally modify the terms of payment provided for in clause 4.2 if it considers the financial standing of the Principal materially altered.

5. DISCLAIMERS

5.1. The Company makes no representation and gives no warranty, express or implied, whether written or oral, regarding i) the accuracy and authenticity of the documents, titles and pledges presented to it in the process of performance of the Services, or ii) the suitability, merchantability, fitness for a particular purpose, or the performance of the goods to which the Service relate. The Company does not warrant or guarantee the Principal's goods or services.

5.2. The Company shall not be liable to the Principal nor any third party for any action taken or not taken on the basis of any finding, result or Deliverables issued by the Company nor for incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to the Company.

5.3. The Company does not perform the services of a guarantor or insurer and cannot be held liable for acting as such. The Principal acknowledges and agrees to obtain appropriate insurance if it seeks to protect itself from claims for Loss (as defined in clause 6.1 below).

5.4. Services provided do not automatically include verification of origin or of third-party intellectual property rights attached to the goods, nor does it imply an obligation to examine title/ownership of goods subject to the request for Services.

6. LIMITATIONS OF LIABILITY

6.1. The Principal shall notify any claim to the Company's registered office by registered letter with acknowledgment receipt immediately after the discovery of the facts and circumstances giving rise to the claim, and in any event no later than 30 (thirty) days from such discovery. Failure to give such notice within this deadline shall constitute an irrevocable waiver to any claim. Further, the Company shall be discharged from any liability for loss, damage or expense of any nature (including but not limited to legal expenses) and whatsoever caused arising from or in any way related to the Services (the "Loss"), unless a suit is brought within six (6) months from the date of performance by the Company of the Services which give rise to the claim, or if not applicable, then the date when performance of the Services should have started in the event of alleged non-performance.

6.2. In the event that a Service is proven to be or held by a competent authority to be improperly or inadequately performed by the Company, the Principal's sole and exclusive remedy with respect to such Service shall, at its election, be either (a) that the Company reperform such Service (or the relevant part thereof), if possible, or (b) to request a refund of the Fees paid to the Company for such Service (or the relevant part thereof).

6.3. Except to the extent of any wilful intent or gross negligence of the Company, the aggregate liability of the Company for Loss under or in connection with the Agreement shall in no circumstances exceed a total aggregate sum, being the lesser of (i) ten (10) times the Fees paid in respect of the specific Service subject of the claim, or (ii) CHF 25,000 (twenty-five thousand Swiss Francs).

6.4. The Company shall not incur any liability (a) for consequential, indirect, unforeseeable, punitive or derivative damages including loss of profits, loss of future businesses, loss of production, loss of data, cost of product recall, additional financial costs and/or cancellation of contracts concluded by the Principal or (b) to the extent of any fraud, negligence or misconduct by or on behalf of the Principal or by any third party.

6.5. The Company shall not incur any liability for any Loss arising from the claim of a third party that may be incurred by the Principal and the Principal shall defend, indemnify and hold harmless the Company from and against any actual or threatened claim for Loss made by a third party against the Company or its employees, agents or subcontractors and relating to (a) the performance, or purported performance or alleged non-performance of Services, or (b) the content of any Deliverable issued by the Company (c) the Principal's misrepresentation, gross negligence, breach of Agreement or breach of any applicable law in any way relating to the Services or Offer.

6.6. The Principal acknowledges and agrees that the Company as specified in the Offer is a separate legal entity and in no event shall any other entity of the Cotecna group be jointly and severally liable for any actions of, or in relation to Services provided by, the Company.

6.7. When Fees are due to the Company in respect of two or more Services and the Principal puts forward a claim for one of such Services, the Fees will remain due for the uncontested part of the Services.

6.8. In the event that the Company is prevented by a force majeure event from performing part or all of the Services (in particular without limitation, natural disasters, armed conflicts, economic sanctions and pandemics), it will be released from any liability for the partial or total non-performance of the Services and entitled to invoice the Principal for i) all the expenses actually incurred and ii) a proportional share of the Fees agreed upon for the Service actually rendered.

6.9. Upon written notice to the Principal, the Company may terminate the Services immediately at its convenience without any liability, for any actual or suspected breach of Agreement, breach of applicable law or misrepresentation by the Principal, in the Company's sole reasonable opinion.

7. AMENDMENTS AND MODIFICATIONS

7.1. Upon written notice to the Principal, the Company may terminate the Services immediately at its convenience without any liability, for any actual or suspected breach of Agreement, breach of applicable law or misrepresentation by the Principal, in the Company's sole reasonable opinion.

7.2. If one or more provisions of the GTC should prove to be illegal or inapplicable for whatever reason, the validity and application of the other provisions shall not be affected.

8. APPLICABLE LAW AND SETTLEMENT OF DISPUTES

8.1. Any Offer, the GTC and any Agreement are governed and construed according to Swiss law.

8.2. In the event of a dispute, controversy or claim, the parties may enter into good faith discussions to settle the dispute, controversy or claim amicably. Any of the parties may proceed to arbitration after 30 days from the date of the written request to settle the dispute amicably, should the period not be mutually extended or should either of the parties decline or fail to participate in such discussions.

8.3. Subject to clause 8.2, any dispute, controversy or claim, arising out of, or in relation to an Offer the GTC or an Agreement, including its or their validity, invalidity, breach or termination, shall be finally settled in accordance with the Swiss Rules of International Arbitration of the Swiss Arbitration Centre in force on the date when the notice of arbitration was submitted in accordance with said Rules. The number of arbitrators shall be three (3), unless the litigious value is below 1 million CHF, in which case there will be one (1) arbitrator only. The seat of the arbitration shall be Geneva, Switzerland. The arbitral proceedings shall be conducted in English language.

9. DATA PROTECTION, PRIVACY, CONFIDENTIALITY AND PUBLICITY

9.1. Each party to the Agreement shall comply with applicable data protection legislation. The Principal shall in particular ensure that the Company has all rights and consents to process all data received from the Principal. Further information is available at <https://www.cotecna.com/en/privacy-policy>.

9.2. Each party to the Agreement agrees to maintain in confidence confidential information disclosed to it by the other party in compliance with applicable law, and, subject to clause 3.3, such confidential information shall include any Deliverable.

9.3. Use or display by the Principal of the Company's name, logo, trademark or other proprietary information for any purpose, including advertising, is not permitted, without the prior written consent of the Company.

10. COMMUNICATION

Subject to clause 6.1, communications between the Principal and the Company during the performance of Services shall be deemed to be properly given only when sent by post, courier, hand delivery or email to the other party's previously notified email address, to the exclusion of all other communication means. In particular, any communication by the Company via phone or instant messaging application shall have to be confirmed by email in order to be considered effective.

End of the Test Report